

The `tamu-talk` package: code

Wyatt Smith*

Released 2026-10-24 (v0.1.0)

`tamu-talk` is an independently maintained Texas A&M theme for the `ltx-talk` class. This document is its code. For how to use it, see the user guide, `tamu-talk-doc.pdf` (`texdoc tamu-talk`). The code is split into smaller packages, which `tamu-talk` loads in order.

1 `tamu-talk`: Main package

```
1 <*package>
2 <@@=tamu_talk>
3 \ProvidesExplPackage
4   {tamu-talk}
5   {2026-10-24}
6   {0.1.0}
7   {A TAMU theme for ltx-talk}
8
9 \RequirePackage {tamu-talk-compatible}
10 \RequirePackage {tamu-talk-colors}
11 \RequirePackage {tamu-talk-boxes}
12 \RequirePackage {tamu-talk-titlepage}
13 \RequirePackage {tamu-talk-header}
14 \RequirePackage {tamu-talk-footer}
15 \RequirePackage {tamu-talk-options}
```

Apply options given when the package is loaded.

```
16 \ProcessKeyOptions [tamu-talk]
17 </package>
```

2 `tamu-talk-compatible`: Class and version checks

```
18 <*compat>
19 <@@=tamu_talk>
20 \ProvidesExplPackage
21   {tamu-talk-compatible}
22   {2026-10-24}
23   {0.1.0}
24   {ltx-talk version guard for tamu-talk}
```

Stop with a clear error unless the class is `ltx-talk`, and recent enough.

```
25 \msg_new:nnnn {tamu-talk} {wrong-class}
```

*E-mail: 216wsmith@gmail.com

```

26 { The~'tamu-talk'~package~requires~the~'ltx-talk'~class. }
27 {
28   Load~the~class~first:~\iow_char:N\documentclass{ltx-talk}~.~
29   For~Beamer~presentations,~try~the~'beamerthemetamu'~theme~instead.
30 }
31
32 \IfClassLoadedTF {ltx-talk}
33 { }
34 { \msg_fatal:nn {tamu-talk} {wrong-class} }
35
36 \msg_new:nnnn {tamu-talk} {ltx-talk-too-old}
37 { tamu-talk~requires~ltx-talk~2026-09-10~or~later. }
38 {
39   tamu-talk~was~developed~against~ltx-talk~2026-09-10~and~has~not~
40   been~checked~against~older~releases.~Update~ltx-talk,~e.g.~with~
41   'tlmgr~update~ltx-talk'.
42 }
43
44 \IfClassAtLeastTF {ltx-talk} {2026-09-10}
45 { }
46 { \msg_error:nn {tamu-talk} {ltx-talk-too-old} }
47 \</compat>

```

3 tamu-talk-colors: Colors

```

48 <*colors>
49 <@@=tamu_talk>
50 \ProvidesExplPackage
51   {tamu-talk-colors}
52   {2026-10-24}
53   {0.1.0}
54   {TAMU brand colors for tamu-talk}
55
56 \DeclareColor {TAMUMaroon}    [HTML] {500000}
57 \DeclareColor {TAMUNearBlack} [HTML] {202020}
58 \DeclareColor {TAMUDarkGray}  [HTML] {3E3E3E}
59 \DeclareColor {TAMUGray}      [HTML] {707070}
60 \DeclareColor {TAMULightGray} [HTML] {D1D1D1}
61 \DeclareColor {TAMUTan}       [HTML] {D6D3C4}
62
63   Off-brand accent colors, meant to pair with TAMUMaroon.
64 \DeclareColor {forest} [HTML] {2F4F3E}
65 \DeclareColor {slate}  [HTML] {3B5875}
66
67 \DeclareColor {structure} {TAMUMaroon}
68 </colors>

```

4 tamu-talk-boxes: Boxes

Just a few named tcolorbox environments that look good on slides and use our color palette.

```

67 <*boxes>
68 <@@=tamu_talk>

```

```

69 \ProvidesPackage{tamu-talk-boxes}[2026-10-24 v0.1.0 tcolorbox environments for tamu-
talk]
70
71 \RequirePackage{tcolorbox}
72 \tcboxlibrary{skins, breakable}
73
74 \newtcolorbox{headerbox}[1]{
75   enhanced,
76   colback      = TAMUTan!15,
77   colframe     = TAMUMaroon,
78   coltitle     = white,
79   colbacktitle = TAMUMaroon,
80   fonttitle    = \bfseries,
81   arc          = 0pt,
82   boxrule      = 1pt,
83   title        = {#1},
84 }
85
86 \tcbset{
87   tamu-lasso/maroon/.style = { colframe = TAMUMaroon,   coltitle = TAMUMaroon } ,
88   tamu-lasso/black/.style  = { colframe = TAMUNearBlack, coltitle = TAMUNearBlack } ,
89 }
90
91 \newtcolorbox{lasso}[2][maroon]{
92   skin          = enhanced jigsaw,
93   colback       = white,
94   colbacktitle  = white,
95   boxrule       = 0.5mm,
96   arc           = 0mm,
97   tamu-lasso/#1,
98   attach boxed title to top left = {xshift=4mm, yshift=-2.75mm},
99   boxed title style = {boxrule=0.4pt},
100  title          = {\textbf{#2}},
101 }

```

Color shortcuts for sidebar.

```

102 \tcbset{
103   forest/.style = { colback = forest!15, borderline west = {3pt}{0pt}{forest} } ,
104   slate/.style  = { colback = slate!15,   borderline west = {3pt}{0pt}{slate} } ,
105 }
106
107 \newtcolorbox{sidebar}[1][]{
108   enhanced,
109   sharp corners,
110   boxrule = 0pt,
111   frame hidden,
112   colback = TAMUTan!20,
113   borderline west = {3pt}{0pt}{TAMUMaroon},
114   left = 10pt, right = 8pt, top = 6pt, bottom = 6pt,
115   #1,
116 }
117
118 \newtcolorbox{elevate}[1][]{
119   enhanced,

```

```

120   colback = white,
121   colframe = TAMUMaroon,
122   arc = 2mm,
123   boxrule = .5pt,
124   drop shadow,
125   IfEmptyTF = {#1}
126   { }
127   {
128       title = {#1},
129       colbacktitle = TAMUMaroon,
130       coltitle = white,
131       fonttitle = \bfseries,
132   },
133 }
134
135 \newtcolorbox{outline}[1][.75pt]{
136   enhanced,
137   colback = white,
138   colframe = TAMUMaroon,
139   boxrule = #1,
140   arc = 0pt,
141 }
142 \</boxes>

```

5 tamu-talk-titlepage: Title page

```

143 <*titlepage>
144 <@@=tamu_talk>
145 \ProvidesExplPackage
146   {tamu-talk-titlepage}
147   {2026-10-24}
148   {0.1.0}
149   {Title page styling for tamu-talk}
150
151 \RequirePackage {graphicx}
152 \RequirePackage {tcolorbox}
153
154 \bool_new:N \g_tamu_talk_title_bold_bool
155
156 \cs_new_protected:Npn \__tamu_talk_title_font:
157   {
158     \Large
159     \bool_if:NT \g_tamu_talk_title_bold_bool { \bfseries }
160   }
161
162 \cs_new_protected:Npn \__tamu_talk_titlepage_set_size:N #1
163   {
164     \fontsize
165     { \dim_use:N #1 }
166     { \dim_eval:n { 1.2 #1 } }
167     \selectfont
168   }
169

```

```

170 \cs_new_protected:Npn \__tamu_talk_titlepage_title_font:
171 {
172   \__tamu_talk_titlepage_set_size:N \l_tamu_talk_titlepage_title_size_dim
173   \bool_if:NT \g_tamu_talk_title_bold_bool { \bfseries }
174 }
175
176 \cs_new_protected:Npn \__tamu_talk_titlepage_subtitle_font:
177 { \__tamu_talk_titlepage_set_size:N \l_tamu_talk_titlepage_subtitle_size_dim }
178
179 \bool_new:N \g_tamu_talk_title_box_bool
180 \str_new:N \g_tamu_talk_title_logo_str
181 \tl_new:N \g_tamu_talk_logo_file_tl
182 \tl_new:N \l__tamu_talk_logo_path_tl
183 \bool_new:N \l__tamu_talk_titlepage_logo_bool
184 \box_new:N \l__tamu_talk_titlepage_logo_box
185 \box_new:N \l__tamu_talk_titlepage_text_box
186 \box_new:N \l__tamu_talk_titlepage_tail_box

```

\institute is optional, so make sure \@institute exists.

```

187 \tl_if_exist:NF \@institute { \tl_gclear:N \@institute }

```

Make sure neither the banner nor the page counter shows up on the title page.

```

188 \cs_new_nopar:Npn \ps@tamu
189 {
190   \cs_set_nopar:Npn \@oddhead { \hfil }
191   \cs_set_nopar:Npn \@oddfoot { }
192   \cs_set_eq:NN \@evenhead \@oddhead
193   \cs_set_eq:NN \@evenfoot \@oddfoot
194 }

```

5.1 Logo

The Texas A&M logo is trademarked and not distributed with tamu-talk. Look for the file given by logo-file, as is or with a common extension, and leave \l__tamu_talk_logo_path_tl empty if not found.

```

195 \msg_new:nnn {tamu-talk} {logo-missing}
196 { Logo~file~'#1'~not~found;~see~'texdoc~tamu-talk'. }
197
198 \cs_new_protected:Npn \__tamu_talk_logo_find:
199 {
200   \tl_clear:N \l__tamu_talk_logo_path_tl
201   \tl_map_inline:nn { {} { .pdf } { .png } { .jpg } }
202   {
203     \file_if_exist:nT { \g_tamu_talk_logo_file_tl ##1 }
204     {
205       \tl_set:Nx \l__tamu_talk_logo_path_tl
206       { \g_tamu_talk_logo_file_tl ##1 }
207       \tl_map_break:
208     }
209   }
210 }
211
212 \cs_new_protected:Npn \__tamu_talk_logo_include:n #1
213 {

```

```

214 % marking as an artifact seems appropriate here
215 \includegraphics
216 [
217     artifact, pagebox = artbox,
218     width = \l_tamu_talk_titlepage_logo_width_dim
219 ]
220 {#1}
221 }
222 \cs_generate_variant:Nn \__tamu_talk_logo_include:n { V }

```

Placeholder: a light gray box roughly the shape of the logo, with a note pointing at the docs.

```

223 \cs_new_protected:Npn \__tamu_talk_logo_placeholder_line:n #1
224 {
225     \hbox_to_wd:nn { \l_tamu_talk_titlepage_logo_width_dim }
226     { \hss #1 \hss }
227 }
228 \cs_new_protected:Npn \__tamu_talk_logo_placeholder:
229 {
230     \hbox_overlap_right:n
231     {
232         \color_select:n { TAMULightGray }
233         \rule
234         { \l_tamu_talk_titlepage_logo_width_dim }
235         { \dim_eval:n { 0.8 \l_tamu_talk_titlepage_logo_width_dim } }
236     }
237     \vbox_to_ht:nn
238     { \dim_eval:n { 0.8 \l_tamu_talk_titlepage_logo_width_dim } }
239     {
240         \vss
241         \color_select:n { TAMUDarkGray }
242         \scriptsize
243         \__tamu_talk_logo_placeholder_line:n { Logo~file~not~found. }
244         \__tamu_talk_logo_placeholder_line:n
245         { See~\texttt{texdoc~tamu-talk}. }
246         \vss
247     }
248 }

```

Decide whether to show a logo, and fill the logo box.

```

249 \cs_new_protected:Npn \__tamu_talk_logo_setup:
250 {
251     \__tamu_talk_logo_find:
252     \str_case:VnF \g_tamu_talk_title_logo_str
253     {
254         { auto }
255         {
256             \tl_if_empty:NTF \l__tamu_talk_logo_path_tl
257             { \bool_set_false:N \l__tamu_talk_titlepage_logo_bool }
258             { \bool_set_true:N \l__tamu_talk_titlepage_logo_bool }
259         }
260         { true }
261         {

```

```

262         \bool_set_true:N \l__tamu_talk_titlepage_logo_bool
263         \tl_if_empty:NT \l__tamu_talk_logo_path_tl
264         {
265             \msg_warning:nnV {tamu-talk} {logo-missing}
266             \g_tamu_talk_logo_file_tl
267         }
268     }
269 }
270 { \bool_set_false:N \l__tamu_talk_titlepage_logo_bool }
271 \bool_if:NT \l__tamu_talk_titlepage_logo_bool
272 {
273     \hbox_set:Nn \l__tamu_talk_titlepage_logo_box
274     {
275         \tl_if_empty:NTF \l__tamu_talk_logo_path_tl
276         { \__tamu_talk_logo_placeholder: }
277         { \__tamu_talk_logo_include:V \l__tamu_talk_logo_path_tl }
278     }
279 }
280 }

```

5.2 Title block

Title (boxed or not), subtitle, author, institute, date.

```

281 \cs_new_protected:Npn \__tamu_talk_titlepage_text:
282 {
283     \centering
284     \begin{center}
285         \bool_if:NTF \g_tamu_talk_title_box_bool
286         {
287             \begin{tcolorbox}
288                 [
289                     enhanced ,
290                     colback = TAMUMaroon ,
291                     colframe = TAMUMaroon ,
292                     coltext = white ,
293                     arc = 3mm ,
294                     boxsep = 0pt ,
295                     left = 8pt , right = 8pt , top = 8pt , bottom = 8pt ,
296                     halign = center ,
297                 ]
298                 \tag_struct_begin:n { tag = Title }
299                 {\__tamu_talk_titlepage_title_font: \@title \par}
300                 \tag_struct_end:
301                 \tl_if_empty:NF \@subtitle
302                 { \vskip .25em {\__tamu_talk_titlepage_subtitle_font: \@subtitle \par} }
303             \end{tcolorbox}
304         }
305         {
306             \tag_struct_begin:n { tag = Title }
307             {\color{TAMUMaroon} \__tamu_talk_titlepage_title_font: \@title \par}
308             \tag_struct_end:
309             \tl_if_empty:NF \@subtitle
310             { \vskip .25em {\__tamu_talk_titlepage_subtitle_font: \color{TAMUMaroon!70} \@sub

```

```

311     }
312   \end{center}
313
314   {\@author \par}
315   {
316     \scriptsize
317     \tl_if_empty:NTF \@institute
318       { Texas-A\&M-University,~College-Station-TX }
319       { \@institute }
320     \par
321   }
322   \tl_if_empty:NF \@date
323   { {\scriptsize \@date \par} }
324 }

```

5.3 Layout

Distance from the top of the slide to the top of the logo, which is centered logo-height above the bottom of the page.

```

325 \cs_new:Npn \__tam_u_talk_titlepage_logo_top:
326 {
327   \paperheight - \l_tamu_talk_titlepage_logo_height_dim
328   - ( 1in + \voffset + \topmargin + \headheight + \headsep )
329   - \topskip
330   - \box_ht_plus_dp:N \l__tam_u_talk_titlepage_logo_box / 2
331 }

```

FIXME TODO: this code does not seem robust.

```

332 \cs_new_protected:Npn \__tam_u_talk_titlepage_body:n #1
333 {
334   \vfill
335   \group_begin:
336   \__tam_u_talk_titlepage_text:
337   \vskip .5em
338   \begin{center} #1 \end{center}
339   \group_end:
340   \vfill
341 }
342
343 \prg_new_protected_conditional:Npnn \__tam_u_talk_titlepage_if_crowded: { TF }
344 {
345   \tag_suspend:n { tamu-talk }
346   \vbox_set:Nn \l__tam_u_talk_titlepage_text_box
347     { \__tam_u_talk_titlepage_text: }
348   \vbox_set:Nn \l__tam_u_talk_titlepage_tail_box
349     {
350       \vskip .5em
351       \begin{center}
352         \phantom { \box_use:N \l__tam_u_talk_titlepage_logo_box }
353         \end{center}
354     }
355   \tag_resume:n { tamu-talk }
356   \dim_compare:nNnTF

```

```

357 {
358   ( \textheight
359     + \box_ht_plus_dp:N \l__tamu_talk_titlepage_text_box
360     - \box_ht_plus_dp:N \l__tamu_talk_titlepage_tail_box ) / 2
361   + .5em
362 }
363 > { \__tamu_talk_titlepage_logo_top: }
364 { \prg_return_true: }
365 { \prg_return_false: }
366 }
367
368 \DeclareTemplateInterface {titlepage} {tamu} {0}
369 {
370   framestyle      : tokenlist = tamu ,
371   title-size      : length    = 18pt ,
372   subtitle-size   : length    = 11pt ,
373   logo-width      : length    = .25\textwidth ,
374   logo-height     : length    = 28mm ,
375 }
376 \DeclareTemplateCode {titlepage} {tamu} {0}
377 {
378   framestyle      = \l_tamu_talk_titlepage_framestyle_tl ,
379   title-size      = \l_tamu_talk_titlepage_title_size_dim ,
380   subtitle-size   = \l_tamu_talk_titlepage_subtitle_size_dim ,
381   logo-width      = \l_tamu_talk_titlepage_logo_width_dim ,
382   logo-height     = \l_tamu_talk_titlepage_logo_height_dim ,
383 }
384 {
385   \tl_if_empty:NF \l_tamu_talk_titlepage_framestyle_tl
386   { \exp_args:NV \thispagestyle \l_tamu_talk_titlepage_framestyle_tl }
387   \__tamu_talk_logo_setup:
388   \bool_if:NTF \l__tamu_talk_titlepage_logo_bool
389   {
390     \__tamu_talk_titlepage_if_crowded:TF
391     {
392       % long title: the logo follows the text instead
393       \__tamu_talk_titlepage_body:n
394       {
395         \mode_leave_vertical:
396         \box_use:N \l__tamu_talk_titlepage_logo_box
397       }
398     }
399     {
400       % logo at its fixed spot; a phantom holds its space under the text
401       \vbox_to_zero:n
402       {
403         \skip_vertical:n { \__tamu_talk_titlepage_logo_top: }
404         \hbox_to_wd:nn { \textwidth }
405         { \hss \box_use:N \l__tamu_talk_titlepage_logo_box \hss }
406         \vss
407       }
408       \__tamu_talk_titlepage_body:n
409       { \phantom { \box_use:N \l__tamu_talk_titlepage_logo_box } }
410     }
411   }

```

```

411     }
412     {
413         \vfill
414         \group_begin:
415         \_tamutalk_titlepage_text:
416         \group_end:
417         \vfill
418     }
419 }

```

Adapted from ltx-talk's \maketitle: outside a frame, make one.

```

420 \ExpandArgs { Nne } \RenewDocumentCommand \maketitle { 0 {} }
421 {
422     \exp_not:N \bool_if:NTF \exp_not:N \l_tamutalk_frame_bool
423     { \exp_not:N \UseTemplate {titlepage} {tamutalk} { framestyle = tamutalk , #1 } }
424     {
425         \exp_not:N \begin {frame}
426         \bool_if:NT \l_tamutalk_frame_title_bool { { } }
427         \exp_not:N \UseTemplate {titlepage} {tamutalk} { framestyle = tamutalk , #1 }
428         \exp_not:N \end {frame}
429     }
430 }
431 </titlepage>

```

6 tamutalk-header: Header

```

432 <*header>
433 <@@=tamutalk>
434 \ProvidesExplPackage
435   {tamutalk-header}
436   {2026-10-24}
437   {0.1.0}
438   {Header styling for tamutalk}
439
440 \DeclareTemplateInterface { frametitle } { tamutalk } { 1 }
441 {
442     after-vspace : skip = \bigskipamount ,
443     before-vspace : skip = 0em ,
444     color         : tokenlist = ,
445     font          : tokenlist = \Large \bfseries ,
446     vshift        : length = 0pt ,
447 }
448 \DeclareTemplateCode { frametitle } { tamutalk } { 1 }
449 {
450     after-vspace = \l_tamutalk_frametitle_after_skip ,
451     before-vspace = \l_tamutalk_frametitle_before_skip ,
452     color        = \l_tamutalk_frametitle_color_tl ,
453     font         = \l_tamutalk_frametitle_font_tl ,
454     vshift       = \l_tamutalk_frametitle_vshift_dim ,
455 }
456 {
457     \noindent
458     \group_begin:

```

```

459 \tl_if_empty:NF \l_tamu_talk_frametitle_color_tl
460 { \color_select:V \l_tamu_talk_frametitle_color_tl }
461 \l_tamu_talk_frametitle_font_tl
462 \tl_if_blank:nF {#1}
463 {
464   \raise \l_tamu_talk_frametitle_vshift_dim
465   \hbox { \_talk_frame_title:n {#1} }
466 }
467 \par
468 \group_end:
469 }
470 \DeclareInstance { frametitle } { header } { tamu } { }
471
472 \EditInstance {frametitle} {header}
473 {
474   font = \_tamu_talk_title_font: ,
475   vshift = 0pt ,
476 }

```

Pull the title text to the left.

```

477 \EditInstance {header} {std} { left-hspace = 6mm }
478 \</header>

```

7 tamu-talk-footer: Footer

```

479 <*footer>
480 <@@=tamu_talk>
481 \ProvidesExplPackage
482 {tamu-talk-footer}
483 {2026-10-24}
484 {0.1.0}
485 {Footer styling for tamu-talk}
486
487 \cs_new:Npn \@spacer { }
488 \DeclareInstance {footer-element} {spacer} {talk} { }
489
490 \str_new:N \g_tamu_talk_page_numbers_str
491
492 \cs_new:Npn \@framecount
493 {
494   \str_if_eq:NnTF \g_tamu_talk_page_numbers_str { total }
495   { \theframe \, / \, \@frames }
496   {
497     \int_compare:nNnTF { \c@appendixframe } > 0
498     { A \theappendixframe }
499     { \theframe }
500   }
501 }
502 \DeclareInstance {footer-element} {framecount} {talk} { }

```

Use lining figures for the slide numbers, if the font needs them.

```

502 \cs_new_protected:Npn \_tamu_talk_lining_numbers:
503 {
504   \cs_if_exist:NT \addfontfeature
505   { \addfontfeature { Numbers = Lining } }

```

```

506 }
507 \EditInstance {footer-element} {framecount}
508 { font = \_tam\_talk\_lining\_numbers: }
509 \</footer>

```

8 tamu-talk-options: Options

```

510 <*options>
511 <@@=tam\_talk>
512 \ProvidesExplPackage
513 {tam\_talk-options}
514 {2026-10-24}
515 {0.1.0}
516 {Option definitions for tamu-talk}

```

Turn the footer counter on and record which format to typeset.

```

517 \cs_new_protected:Npn \_tam\_talk\_page\_numbers\_show:n #1
518 {
519   \str_gset:Nn \g\_tam\_talk\_page\_numbers\_str {#1}
520   \EditInstance {footer} {std}
521   {
522     element-order = {spacer, framecount} ,
523     separator      = \hfill ,
524     right-hspace   = 3mm ,
525   }
526 }

```

The keys. What each one does is described in the user guide, tamu-talk-doc.pdf.

```

527 \keys_define:nn {tam\_talk}
528 {
529   page-numbers .choice: ,
530   page-numbers / none .code:n =
531   {
532     \str_gset:Nn \g\_tam\_talk\_page\_numbers\_str { none }
533     \EditInstance {footer} {std} { element-order = {} }
534   } ,
535   page-numbers / current .code:n = { \_tam\_talk\_page\_numbers\_show:n { current } } ,
536   page-numbers / total .code:n = { \_tam\_talk\_page\_numbers\_show:n { total } } ,
537   page-numbers .initial:n = total ,
538
539   title-bold .bool_gset:N = \g\_tam\_talk\_title\_bold\_bool ,
540   title-bold .default:n = {true} ,
541   title-bold .initial:n = {false} ,
542
543   title-box .bool_gset:N = \g\_tam\_talk\_title\_box\_bool ,
544   title-box .default:n = {true} ,
545   title-box .initial:n = {true} ,
546
547   title-logo .choices:nn = { auto , true , false }
548   { \str_gset:Nn \g\_tam\_talk\_title\_logo\_str { \l\_keys\_choice\_tl } } ,
549   title-logo .default:n = true ,
550   title-logo .initial:n = auto ,
551
552   logo-file .tl_gset:N = \g\_tam\_talk\_logo\_file\_tl ,

```

```

553 logo-file .initial:n      = tamu-logo ,
554
555 header-style .choice: ,
556 header-style / plain .code:n =
557 {
558     \EditInstance {header} {std}
559     {
560         background-color = {} ,
561         color             = structure ,
562         height            = \Gm@tmargin + \headsep ,
563     }
564     \EditInstance {frametitle} {header} { vshift = 0pt }
565 } ,
566 header-style / ribbon .code:n =
567 {
568     \EditInstance {header} {std}
569     {
570         background-color = TAMUMaroon ,
571         color             = white ,
572         height            = 6.65mm ,
573     }
574     \EditInstance {frametitle} {header} { vshift = 0pt }
575 } ,
576 header-style / banner .code:n =
577 {
578     \EditInstance {header} {std}
579     {
580         background-color = TAMUMaroon ,
581         color             = white ,
582         height            = \Gm@tmargin + \headsep ,
583     }
584     \EditInstance {frametitle} {header} { vshift = 1.735mm }
585 } ,
586 header-style .initial:n = banner ,
587 }
588 </options>

```